

Integration of Robotics and Navigation with Intra-operative Imaging

Ali Uneri, Ph.D. Department of Biomedical Engineering Johns Hopkins University

Carnegie Center for Surgical Innovation (carnegie.jhu.edu) The I-STAR Lab (istar.jhu.edu)





2

Acknowledgements

The I-STAR Lab Imaging for Surgery, Therapy, and Radiology <u>istar.jhu.edu</u> Carnegie Center for Surgical Innovation JHU Biomedical Engineering + Neurosurgery

carnegie.jhu.edu

Funding Support NIH U01-NS-107133 (High-Precision Neurosurgery) NIH R01-EB-017226 (Imaging for OR Safety and QA)

Academy-Industry Collaborations Siemens Healthineers (Mobile and Robotic C-arms) Medtronic (Intraoperative 3D Imaging and Registration)

Disclosures Spine Align (Consultant) The Phantom Laboratory (Consultant)



1



Intraoperative C-arms for 2D & 3D Imaging

Flat panel detector Large FOV, distortion-free Motorized orbit Cone-beam CT capable Low dose, high resolution

Cios Spith

Intraoperative C-arms for 2D & 3D Imaging

Platforms C-arm, U-arm, O-arm, ... Modern C-arms Flat panel detector Large FOV, distortion-free Motorized orbit

Cone-beam CT capable

Applications in

Integration with Surgical tracking, Robotic instruments

4

Low dose, high resolution

Neurosurgery, Orthopaedics, Vascular, Thoracic, ...



3

















Frame-Based
Frameless Robotic

Stereotactic Surgery
Image: Constraint of the standard of the sta































23













27



28



29







32



Acknowledgements

Biomedical Engineering The I-STAR Lab (<u>istar.jhu.edu</u>) Carnegie Center for Surgical In ation (carnegie.jhu.edu) Neurosurgery N Theodore, WS Anderson, M Luciano

Orthopaedic Surgery GM Osgood, B Shafiq, R Skolasky

Radiology N Aygun, J Carrino, C Weiss

Malone Ce in Healthcar C Jones, G H

earch Support onal Institutes of Health (NIH) ns Healthir



33



34