

varian

# Gynaecological Applicators


**Sophie Wetherall**

**Senior Product Manager, Brachytherapy Treatment Delivery**




# Challenges in Applicators


*Global challenges, local differences*



# Applicator Portfolio - Intracavitary



Universal Cylinder Applicator Family



Universal Multichannel

† Available for sale in some markets 510(k) pending



Universal Endometrial



Shielded Cylinder

varian



# Applicator Portfolio - Intracavitary




Defined FSD



Flexible FSD



Manchester






Ring and Tandems And Aarhus

† Available for sale in some markets not 510(k) not submitted



Heyman





## Universal Cylinder Applicator Family

**varian**

©2020 VARIAN MEDICAL SYSTEMS, INC. For immediate recipient's use only.







**Kelowna GYN Template**





**Shielded Cylinder**





## Universal Endometrial

**varian**

©2020 VARIAN MEDICAL SYSTEMS, INC. For immediate recipient's use only.







Heyman

varian

©2020 VARIAN MEDICAL SYSTEMS, INC. For immediate recipient's use only.





Defined FSD

varian

©2020 VARIAN MEDICAL SYSTEMS, INC. For immediate recipient's use only.





Flexible FSD

varian

©2020 VARIAN MEDICAL SYSTEMS, INC. For immediate recipient's use only.

varian

©2020 VARIAN MEDICAL SYSTEMS, INC. For immediate recipient's use only.

† Available for sale in some markets not 510(k) not submitted







## Manchester

**varian**

©2020 VARIAN MEDICAL SYSTEMS, INC. For immediate recipient's use only.







† Available for sale in some markets not 510(k) not submitted

## Ring & Tandems





# ( Thank You )

Radiation treatments may cause side effects varying with the part of the body being treated. This may include, but not be limited to irritation to the mouth, respiratory system, digestive system, genitourinary system, fatigue, nausea, skin irritation, and hair loss. In a minority of patients, side effects can be severe. Typically, the side effects are temporary. Radiation treatment is not appropriate for all cancers. Treatment sessions may vary in complexity and time.

Side effects of applicator placement and/or implantation may occur. These side effects may include, but are not limited to, localized discomfort, bleeding, and infection or other localized side effects based on the location the applicator is placed. Side effects may also occur as a result of procedural anesthesia, and may include, but are not limited to, hypotension, bradycardia, respiratory suppression, airway obstruction, bronchospasm, or decreased oxygen saturation. Patients should discuss the treatment and side effects with their physicians before starting treatment sessions.

For more information, please visit [www.varian.com/safety](http://www.varian.com/safety).

