

EXCELLENCE - PROFESSIONALISM - PUBLIC TRUST - EST. 1934

Writing Exam Items

July 23, 2014

Annual Meeting of the American Association of Physicists in Medicine

Austin, Texas

Donna Breckenridge, MA

Director of Communications and Editorial Services

Heather Hopkins, MA

Senior Content Editor

Writing Exam Items

Nothing to disclose, but we do have a disclaimer.



Writing Exam Items Can Be Challenging!



Main Topics

- ✓ Item and test validity
- ✓ What is an exam item?
- ✓ What makes a good stem?
- ✓ What makes a good key?
- ✓ What makes a good distractor?
- ✓ Summary



Item and Test Validity

- Effective item writing is important to ensure that the materials used to evaluate candidates are valid assessments of their knowledge.
- Downing et al. (1995) evaluated the validity of a classroom achievement test in medical education that contained flawed test items (e.g., unfocused item stems, use of *none of the above* and *all of the* above, and negatively worded stems).
- He found that flawed items failed nearly 25% more students than nonflawed items.

Main Topics

- ✓ Item and Test Validity
- ✓ What is an exam item?
- ✓ What makes a good stem?
- ✓ What makes a good key?
- ✓ What makes a good distractor?
- ✓ Summary



What is an exam item?

ITEM = Test question

 STEM = Background and situational information, followed by request for answer.

OPTIONS = The KEY (correct answer) and
3 or 4 DISTRACTORS (incorrect answers).



What is an exam item?

All items should be:

- FOCUSED Each item should focus on one concept.
- CLEAR Use language that is straightforward, easy to interpret, and unambiguous, and that will **not** confuse or trick the candidate.

 CONCISE – Include only the information that is necessary to answer the question.

Main Topics

- A. Item and Test Validity
- B. What is an exam item?
- C. What makes a good stem?
- D. What makes a good key?
- E. What makes a good distractor?
- F. Summary



What makes a good stem?

- 1. Linear delivery of information
- 2. A complete, clear question
- 3. Focused on a single concept
- 4. Positively worded format
- 5. Relevant to practice
- 6. Noncontroversial



1. Linear Delivery of Information

Background + situational info + request for answer

A 32-year-old woman is treated for . . .

+ One year later, she presents with. . . .

+ To diagnose her condition, what examination is most appropriate?



1. Linear Delivery of Information

Background + situational info + request for answer

Nonlinear:

What is the probability that a child will have a defect due to induced genetic damage to the ovum, if the mother gets pregnant 30 days after receiving an ovarian dose of 110 mGy from two CT scans of the pelvis?

Linear:

A woman has two CT scans of the pelvis and receives an ovarian dose of 110 mGy. Thirty days later, she becomes pregnant. What is the probability that the child will have a defect due to induced genetic damage to the ovum?

1. Linear Delivery of Information

Better example (without extensive background)

Situational info (includes image, if any) + request for answer:

A lamp is placed 3 m in front of a concave mirror with a 1-m focal length. How far in front of the mirror will reflected light converge?



2. A Complete, Clear Question

Incomplete Questions

- 1. Kerma:
- 2. The dose-rate constant:

Do you have any idea what these questions are asking? They don't pass the "cover test."



2. A Complete, Clear Question

Better Questions:

- 1. What does kerma measure?
- 2. The dose-rate constant indicates the rate at which energy is absorbed by what?

You know exactly what these questions are asking. These questions pass the "cover test."



2. A Complete, Clear Question

Confusing Question:

Exposure values are measured with corresponding added aluminum filters from a mammography x-ray tube with a molybdenum target and filter. The values are as follows: 0.0 mm Al: 671.1 mR, 0.2 mm Al: 458.8 mR, 0.3 mm Al: 385.7 mR, 0.4 mm Al: 327.5 mR, and 0.0 mm Al: 673.9 mR. What is the calculated half-value?



2. A Complete, Clear Question

Better Question:

Exposure values as shown are measured with corresponding added aluminum filters from a mammography x-ray tube with a molybdenum target and filter. What is the calculated half-value?

mm Al	mR
0.0	671.1
0.2	458.8
0.3	385.7
0.4	327.5
0.0	673.9



3. Focused on a Single Concept

Unfocused example:

Which of the following statements about electron capture radioactive decay is true?

- A. It occurs when an atomic electron ventures inside the nuclear volume, is captured by a proton, and triggers a proton-neutron transformation.*
- B. It occurs when an atomic electron ventures inside the nuclear volume, is captured by a neutron, and triggers a neutron-proton and β -transformation.
- C. It occurs in a neutron-rich unstable parent nucleus.
- D. It occurs when the "L" shell electron has the greatest probability of venturing into the nuclear volume because of its binding energy.

3. Focused on a Single Concept

Better example:

In electron capture radioactive decay, an atomic electron ventures inside the nuclear volume, is captured by a proton, and triggers what type of transformation?

- A. Proton-neutron*
- B. Neutron-proton
- C. β⁻
- D. β⁺



4. Positively Worded Format

Items should be structured to ask for the correct answer and not a wrong answer. WHY?

 Negatively worded items, if used, should be limited to situations that require a negative emphasis, e.g., practices to be avoided, or differential diagnoses.



4. Positively Worded Format

Negatively worded example:

According to the NRC, for each occupationally overexposed individual involved in a reportable event, which of the following does **NOT** have to be reported?

- A. Name
- B. Social security number
- C. Date of birth
- D. Occupation*



4. Positively Worded Format

Negatively worded AND unfocused example:

Which of the following statements about the design of shielded facilities for x-ray sources used in radiation therapy is **FALSE**?

- **A. For units operating above 500 kV,** the workload (W) is described as a weekly dose (Gy/week) delivered at **10 m** from the source.*
- B. Room surfaces that are **not** exposed to the primary beam are called "secondary barriers."
- C. The use factor (U) is the fraction of the operating time during which the primary radiation beam is directed toward a particular protective barrier.
- D. The rule that radiation intensity decreases with (1/distance)² applies exactly for only a point radiation source under conditions of good (narrow beam) geometry.

4. Positively Worded Format

Better example:

In the design of shielded facilities for x-ray sources used in radiation therapy, the workload (W) for units operating above 500 kV is described as a weekly dose (Gy/week) delivered at what distance from the source?

- A. 0.5 m
- B. 1.0 m*
- C. 5.0 m
- D. 10.0 m



4. Positively Worded Format

A double negative is the most confusing of all!





4. Positively Worded Format

Double Negative Item


A radiologic dispersal device ("dirty bomb") explodes in a crowded public area. For affected individuals, the NRC recommends all of the following **EXCEPT:**

- A. **not** staying in the immediate area.
- B. turning on local radio or TV channels for advisories from emergency response and health authorities.
- C. taking off the clothes they are wearing.
- D. **not** taking a shower to wash off dust and dirt.*



5. Relevant to Practice

Even a well-constructed item is of little value if it does not relate to use in practice.





6. Noncontroversial

Avoid topics that are:

- Trendy but not yet proven
- Not yet accepted in the mainstream
- Dependent on or specific to the work or studies of a particular person/group/ institution



Main Topics

- ✓ Item and Test Validity
- ✓ What is an exam item?
- ✓ What makes a good stem?
- ✓ What makes a good key?
- ✓ What makes a good distractor?
- ✓ Summary



What makes a good key?

- 1. Clearly the right answer
- Properly completes the stem
- 3. Similar to distractors in length and structure
- 4. Not controversial or dependent on regional or institutional practice patterns
- 5. Supported by research



Main Topics

- Item and Test Validity
- What is an exam item?
- What makes a good stem?
- What makes a good key?
- What makes a good distractor?
- Summary



What makes a good distractor?



When radiologists take a "selfie"



What makes a good distractor?

- 1. Focuses on same concept as the key
- 2. Properly completes stem
- 3. Similar to key in length and structure
- 4. Plausible to some degree
- 5. Contains no tricky language or clues



WHAT MAKES A GOOD DISTRACTOR?

1. Focuses on same concept as the key

 All options—including distractors—should be conceptually related to each other.

Stem, key, and distractors need to test knowledge of a specific area.



WHAT MAKES A GOOD DISTRACTOR?

1. Focuses on same concept as the key

Example: Mixed options

Which of the following statements about receiving a package containing radioactive materials is true?

- A. It does **not** have to be monitored for radioactive contamination. (requirement)
- B. If received after normal working hours, the package must be monitored no later than 3 hours from the beginning of the next working day.* (requirement)
- C. An external survey is conducted using an ionization chamber. (technique)
- D. A wipe test for removable contamination is carried out by smearing a 100-cm² area of the package surface using absorbent paper and counting the swabs in a CsI well counter. **(technique)**

WHAT MAKES A GOOD DISTRACTOR?

1. Focuses on same concept as the key

Better example:

If received after normal working hours, a package containing radioactive materials must be monitored how soon after the beginning of the next work day?

- A. Within 1 hour
- B. Within 3 hours*
- C. Within 6 hours
- D. Within 8 hours



1. Focuses on same concept as the key

Example: Mixed options

The risk of cancer from irradiation of _____ is 1 death per 10,000 individuals exposed.

- A. 0.01 Sv*
- B. 1.0 mSv
- C. 5.0 rem
- D. 10.0 rem
- E. 50.0 rem



1. Focuses on same concept as the key

Better example:

What radiation dose causes a cancer risk of 1 death per 10,000 individuals exposed?

- A. 0.001 Sv
- B. 0.01 Sv*
- C. 0.05 Sv
- D. 0.1 Sv
- E. 0.5 Sv



2. Properly Completes the Stem Example:

A single, whole-body dose of 1 Gy of low LET radiation causes:

- A. sterility in women for about 3 to 4 months.
- B. increases cataracts.
- C. erythema in about 10 days.*
- D. diarrhea in > 50% of exposed individuals.
- E. decreases the lymphocyte count.



2. Properly Completes the Stem

Better example:

A single, whole-body dose of 1 Gy of low LET radiation will cause what adverse effect after about 10 days?

- A. Sterility
- B. Cataracts
- C. Erythema*
- D. Diarrhea
- E. Decreased lymphocyte count



3. Similar in Length to the Key

Example:

In television viewing of fluoroscopic images, what ensures that the electron scanning beams in the camera and the monitor are exactly synchronized?

- A. Transmission channel
- B. Camera control unit*
- C. Image storage device
- D. Digital detectors such as charge-coupled devices that provide a direct readout of electrical charge



4. Plausible to Some Degree

- To the unprepared or underprepared examinee, there should be enough feasibility in the option for it to be considered.
- Ideally, distractors should be written to represent the compelling, rational, logical wrong answers that examinees would come up with if no choices were provided.



5. No Tricky Language or Clues

Tricky language may cause candidates to select incorrect answers.

- Negative words (such as not, never)
- Multiple parts to one option (e.g., elements 1 and 2, or 2 and 3, or 3 and 4)
- Jargon, slang, older terminology
- Abbreviations, acronyms
- Ambiguity



5. No Tricky Language or Clues

Example: Multiple and overlapping parts

For ultrasound harmonic abdominal imaging, which of the following combinations of transmit/receive center frequency values is the most appropriate?

- A. 6 MHz/6 MHz
- B. 4 MHz/4 MHz
- C. 2 MHz/4 MHz*
- D. 2 MHz/3 MHz



5. No Tricky Language or Clues

Better example:

For ultrasound harmonic abdominal imaging, with a transmit center frequency of 2 MHz, what is the most appropriate receive center frequency?

- A. 2 MHz
- B. 4 MHz*
- C. 6 MHz
- D. 8 MHz



5. No Tricky Language or Clues

Example: Multiple and overlapping parts

Three acute radiation syndromes are associated with whole-body exposures in a short period of time with an associated dose level. What grouping with dose level is correct for cerebral vascular (CV) syndrome, hematopoietic (H) syndrome, and gastrointestinal (GI) syndrome?

- A. CV between 0.7 and 10 Gy, H > 50 Gy, and **GI between 10 and 100 Gy**
- B. CV > 50 Gy, H between 0.7 and 10 Gy, and Gl between 10 and 100 Gy*
- C. CV between 0.7 and 100 Gy, H > 100 Gy, and GI between 0.7 and 3 Gy
- D. CV > 50 Gy, H between 10 and 100 Gy, and GI between 0.7 and 3 Gy

5. No Tricky Language or Clues

Better example:

In cerebral vascular syndrome, what dose level is associated with a whole-body exposure in a short period of time?

- A. < 10 Gy
- B. 12 to 20 Gy
- C. 25 to 50 Gy
- D. > 50 Gy*



5. No Tricky Language or Clues

Example: Ambiguous options

This disease typically affects what age group?

- A. Young adults
- B. Centenarians
- C. Infants
- D. Mature adults
- E. Generation Z



5. No Tricky Language or Clues

Better example:


This disease typically affects what age group?

- A. 0 to 5 years
- B. 10 to 15 years
- C. 20 to 25 years
- D. 40 to 50 years
- E. ≥80 years



5. No tricky language or clues

What's wrong with acronyms?





5. No Tricky Language or *Clues*

Clues may help unknowledgeable but test-wise candidates to select the correct response.

- Vague terms (might, may, could, can, should)
- Absolute terms (always, never)
- All of the above/None of the above options
- Correct response that is grammatically different, longer, or more specific than the other options
- Pairs



5. No Tricky Language or Clues

Example: Pairs

Cyclotrons accelerate ions by using which of the following?

- A. Standing waveguide
- B. Low frequency voltage
- C. Pulsed magnetic fields
- D. Pulsed electric fields*



5. No Tricky Language or Clues

Example: Matching Pairs

Cyclotrons accelerate ions by using which of the following?

- A. Standing waveguide
- B. Traveling waveguide
- C. Pulsed magnetic fields
- D. Pulsed electric fields*



Main Topics

- ✓ Item and Test Validity
- ✓ What is an exam item?
- ✓ What makes a good stem?
- ✓ What makes a good key?
- ✓ What makes a good distractor?
- ✓ Summary



Summary

- Keep it focused, clear, and concise.
- Make it linear (follows time).
- Use complete sentences in the stem.
- Ask for the correct answer.
- Use clear and accurate phrasing.
- Spell out all abbreviations.



Writer's Checklist

I did:

- Spell out acronyms/abbreviations, unless they are very commonly used in the field.
- Use accurate phrasing and avoid jargon so that testtakers, including those for whom English is a second language, can completely and accurately understand the question.
- □ Ask for the correct, not the "wrong," answer.
- Use complete sentence(s) in the stem and ask a direct question.

Writer's Checklist

I did:

- Include complete information and only relevant details.
- Cover the options to see if I can answer the question without looking at the option list (the cover test).
- Include 3 to 5 options.
- Check that options are presented in similar format (e.g., same verb tense, same structure), are independent and not overlapping, and are given in a meaningful order.
- Keep options grammatically consistent with the stem.



Writer's Checklist

I did not use:

- Negatively worded stems (e.g., Which of the following is NOT, All of the following are true EXCEPT, Which of the following is FALSE).
- □ All of the above, None of the above, or multiple answers (e.g., Both A and C or A, D, and E) as options.
- □ Absolute terms such as *always*, *never*, *all*, or *none*.
- Imprecise terms such as seldom, rarely, occasionally, sometimes, few, or many.
- Clues such as may, could, or can.



The Item Writing Manual of the National Board of Medical Examiners is available at nbme.org/publications

Questions?

